

STARFLEX HR-M



WATERPROOF FOREVER



cold polyurea,
unlimited durability

STARFLEX HR-M

SELF-LEVELLING TWO-COMPONENT POLYUREA BASED MEMBRANE FOR WATERPROOFING OF BALCONIES, TERRACES AND PARKING SPACES


BENEFITS




Seamless and resistant **waterproofing**



Walkable and trafficable system



High **elasticity** and **crack-bridging** capabilities



Excellent adhesion on concrete and tiles



Water and **weather** resistance



Low environmental impact, thanks to reduced VOC emissions

QUICK AND EASY APPLICATION



BRUSH



AIRLESS SPRAY



TROWEL

INSTALLATION STEPS

STEP 1



Preparation of the substrate, cleaning and realization of the perimeter flaps.

STEP 2



MPM specific primer application for the existing substrate.

STEP 3



Mixing of the two-component product with appropriate equipment.

STEP 4



Application of **STARFLEX HR-M** liquid membrane with a consumption of 2,2 kg/sqm.

STEP 5



Passage of the bubble-breaking roller on wet product.


STEP 6



Application of aliphatic polyurethane top coat of the **POLISTAR** line.



BALCONIES AND EXPOSED TERRACES



1 Installation surface in concrete and tiles

0 Damp substrate primer

1 Specific primer

2 **STARFLEX HR-M** liquid membrane

3 Aliphatic anti-UV top coat

4 Decoration

Uncompromising Resistance and Durability!

STARFLEX HR-M is a two-component polyurea designed to withstand external stresses and weather conditions, offering excellent and long-lasting performance.



**Since 1955, the ideal
partner for your work.**

MIXER SRL - Divisione MPM

HQ: Via E. De Amicis 53 20123 Milano (MI)

OPS: Via Adda 15 20073 Opera (MI)

TEL: +39 02 576 09116 • @mpm_srl

info@mpmsrl.com • www.mpmsrl.com