

STARFLEX BINDER



THE OUTDOOR FLOORS




Flexible systems for
draining and anti-trauma floors

STARFLEX BINDER

POLYURETHANE BINDERS FOR DRAINING, FLEXIBLE AND DECORATIVE OUTDOOR FLOORS


■ BENEFITS




It adheres to everything



Weather resistant



Flexible



APPLICATION FIELDS

1

STONE AND GRAVEL OUTDOOR **DRAINAGE** SCREEDS

2

ANTI-TRAUMA RUBBER FLOORS



STARFLEX DECO BINDER

Aromatic single-
component

Low yellowing

Ideal for
anti-trauma floors



STARFLEX T BINDER

Aliphatic single-
component

Non-yellowing

Ideal for
pedestrian areas



STARFLEX STONE BINDER

Aliphatic two-
component

Non-yellowing

High resistance
polyaspartic



PRODUCT APPLICATION

STARFLEX BINDER binders can be spread as a screed with a smooth spatula. Application must be followed by mechanical or manual compression.

The indicative ratio ranges from 1:15 to 1:20 depending on the type and size of filler used and the final thickness to be achieved.

The approximate consumption of **STARFLEX BINDER** binders ranges from 0.6 to 1.0 Kg/sqm/cm and varies depending on the grain size of the aggregates used and the filler ratio.



**Since 1955, the ideal
partner for your work.**

MIXER SRL - División MPM

HQ: Via E. De Amicis 53 20123 Milan (MI)

OPS: Via Adda 15 20073 Opera (MI)

PHONE: +39 02 576 09116 • @mpm_srl info@mpmsrl.com •

www.mpmsrl.com