

STARFLEX C



THE ELASTOMERIC CEMENTITIOUS
WATERPROOFING COATING



System for
visible and under-tile
waterproofing


STARFLEX C

TWO-COMPONENT, CEMENTITIOUS ELASTIC MORTAR, FOR THE WATERPROOFING OF BALCONIES, TERRACES, BATHROOMS, SWIMMING POOLS AND FOUNDATIONS


■ BENEFITS



Seamless
waterproofing on new
and existing surfaces




Excellent adhesion
on different types of
surfaces



High **elasticity** and
crack-bridging
capabilities



Rapid cure time even at
low temperatures
and wet surface



UV
and **weather**
resistance



Low environmental impact,
thanks to reduced CO₂
emissions


QUICK AND EASY APPLICATION



BRUSH



ROLLER



SPATULA

■ INSTALLATION STEPS

STEP 1




Preparation, cleaning of the substrate and arrangement of the existing one.

STEP 2



Reinforcement of the perimeter and construction details with **STARFLEX C** liquid membrane and **STARTEX FC** fabric.

STEP 3



Possible application of **MPM specific primer**, based on the conditions of the substrate.

STEP 4



Application of two coats of **STARFLEX C** liquid membrane with **STARTEX FC** reinforcement fabric in between.

ACCESSORIES




STARTEX TAPE

Self-adhesive waterproofing butyl strip



STARTEX FC

Spunbonded polypropylene fibre reinforcement fabric



P Installation surface

0 MPM primer (if any)

1 **STARFLEX C + STARTEX FC reinforcement**
approximate consumption 0.9 - 1.2 kg/m²

2 **STARFLEX C**
approximate consumption 1.2 - 1.4 kg/m²

V Possible quartz dusting for floor bonding



Do you need visible waterproofing?

You can protect **STARFLEX C** using the mpm line of aliphatic polyurethane finishes:

- two-component **POLISTAR**
- single-component **STARFLEX MONO TOP**



**Since 1955, the ideal
partner for your work.**

MIXER SRL - MPM Division

HQ: Via E. De Amicis 53 20123 Milano (MI)

OPS: Via Adda 15 20073 Opera (MI)

PHONE: +39 02 576 09116 • @mpm_srl

info@mpmsrl.com • www.mpmsrl.com