

STARFLEX C




System for
visible and under-tile
waterproofing


STARFLEX C

TWO-COMPONENT, CEMENTITIOUS ELASTIC MORTAR, FOR THE WATERPROOFING OF BALCONIES, TERRACES, BATHROOMS,

■ BENEFITS



Seamless
waterproofing



Excellent adhesion
and elasticity



Rapid cure time even at
low temperatures
and wet surface



UV
and **bad weather**
resistance


QUICK AND EASY APPLICATION



BRUSH



ROLLER



SPATULA

■ INSTALLATION STEPS

STEP 1



Preparation, cleaning of the substrate
and arrangement of the existing one.

STEP 2



Reinforcement of the perimeter and
construction details with **STARFLEX C**
liquid membrane and **STARTEX FC**
fabric.

STEP 3



Possible application of **MPM specific**
primer, based on the conditions of the
substrate.

STEP 4



Application of two coats of **STARFLEX C**
liquid membrane with **STARTEX FC**
reinforcement fabric in between.

ACCESSORIES



STARTEX TAPE
Self-adhesive
waterproofing
butyl strip



STARTEX FC
Spunbonded
polypropylene
fibre reinforcement
fabric

APPLICATION EXAMPLE



- P Installation surface
- 0 MPM primer (if any)
- 1 **STARFLEX C + STARTEX FC** reinforcement
approximate consumption 0,9 - 1,2 kg/m²
- 2 **STARFLEX C**
approximate consumption 1,2 - 1,4 kg/
- V Possible quartz dusting for floor bonding



Do you need visible waterproofing?

You can protect **STARFLEX C** using the mpm line of aliphatic polyurethane finishes:

- two-component **POLISTAR**
- single-component **STARFLEX MONO TOP**



Since 1955, the ideal partner for your work.

MIXER SRL - MPM Division

HQ: Via E. De Amicis 53 20123 Milano (MI)

OPS: Via Adda 15 20073 Opera (MI)

PHONE: +39 02 576 09116 • @mpm_srl
info@mpmsrl.com • www.mpmsrl.com